



## **Product Datasheet**

## **Slc19a1 Peptide (orb1236069)**

Description Slc19a1 Peptide

**Tested** Blocking

**Applications** 

**Target** Slc19a1

**Preservatives** Slc19a1 peptide is supplied as 100 µg of dried

> peptide. When the peptide is reconstituted in 200 µL water, the concentration will be 0.5

mg/mL.

Form/Appearance Lyophilized

Store at -20°C. When reconstituted minimize Storage

freezing and thawing.

Note For research use only

**Application notes** Slc19a1 Peptide is used for blocking the

> activity of Slc19a1 antibody (catalog number 42-363). The Slc19a1 antibody ships at 0.5 mg/mL and the Slc19a1 Peptide ships as a 100 µg pellet. When peptide is reconstituted in 200 μL water, the concentration will be 0.5 mg/mL, identical to that of the antibody. The best starting ratio would be 1:1 (which means molar excess of peptide relative to antibody when identical volumes are mixed). Mix equal volume of peptide and antibody at the required

dilution and leave at ambient temperature for 20 minutes. Then incubate and develop in parallel two blots: one with the antibody and one with the antibody which has been preabsorbed with the provided peptide.

**Uniprot ID** P41438

**NCBI** NP\_112473.1

**Expiration Date** 6 months from date of receipt.

7 Signet Court, Swann's Road, Cambridge, CB5 8LA, United Kingdom