

Product Datasheet

UBE2N Antibody (orb1238589)

Description
UBE2N Antibody
Species/Host

Rabbit

Conjugation

Unconjugated

Tested
Applications

ELISA, IF, IHC-P, WB

Immunogen

UBC13 antibody was raised against a peptide corresponding to 15 amino acids near the C-terminus of human UBC13. The immunogen is located within the last 50 amino acids of UBC13.

Target

UBE2N

Preservatives

UBC13 Antibody is supplied in PBS containing 0.02% sodium azide.

Form/Appearance

Liquid

Concentration

1 mg/mL

Storage

UBC13 antibody can be stored at 4°C for three months and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.

Note

For research use only

Application notes

UBC13 antibody can be used for detection of UBC13 by Western blot at 0.5 to 2 µg/mL. Antibody can also be used for immunohistochemistry starting at 2.5 µg/mL. For immunofluorescence start at 10 µg/mL. Antibody validated: Western Blot in human samples; Immunohistochemistry in mouse samples and Immunofluorescence in mouse samples. All other applications and species not yet tested.

Isotype


IgG

Clonality


Polyclonal

Uniprot ID
P61088
NCBI
AAP35519
Dilution Range


UBC13 antibody can be used for detection of UBC13 by Western blot at 0.5 to 2 µg/mL. Antibody can also be used for immunohistochemistry starting at 2.5 µg/mL. For immunofluorescence start at 10 µg/mL. Antibody validated: Western Blot in human samples; Immunohistochemistry in mouse samples and Immunofluorescence in mouse samples. All other applications and species not yet tested.



Western blot analysis of UBC13 in human ...



Immunohistochemistry of UBC13 in mouse t...



Immunofluorescence of UBC13 in Mouse Thy...