

Product Datasheet

TOLLIP Antibody (orb1238616)



Description TOLLIP Antibody

Species/Host Rabbit

Reactivity Human, Mouse, Rat

Conjugation Unconjugated

Tested ELISA, ICC, IF, IHC-P, WB

Applications

Immunogen TOLLIP antibody was raised against a 16 amino acid

synthetic peptide from near the carboxy terminus of human TOLLIP.The immunogen is located within the

last 50 amino acids of TOLLIP.

Target TOLLIP

Preservatives TOLLIP Antibody is supplied in PBS containing 0.02%

sodium azide.

Form/Appearance Liquid

Concentration 1 mg/mL

Storage TOLLIP antibody can be stored at 4°C for three

months and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed

to prolonged high temperatures.

Note For research use only

Application notes TOLLIP antibody can be used for the detection of

TOLLIP by Western blot at 1 - $2 \mu g/mL$. Antibody can also be used for immunohistochemistry starting at 5 $\mu g/mL$ and immunocytochemistry starting at 2 $\mu g/mL$. For immunofluorescence start at 20 $\mu g/mL$. Antibody validated: Western Blot in rat samples; Immunohistochemistry in human samples; Immunocytochemistry in human samples and Immunofluorescence in human samples. All other

applications and species not yet tested.

Isotype lgG

Clonality Polyclonal

Uniprot ID Q9H0E2


NCBI AAH18272

Dilution Range TOLLIP antibody can be used for the detection of

TOLLIP by Western blot at 1 - 2 µg/mL. Antibody can also be used for immunohistochemistry starting at 5 µg/mL and immunocytochemistry starting at 2

www.biorbyt.com


АВ



Western blot analysis of TOLLIP in rat b...



Immunocytochemistry of TOLLIP in THP-1 c...



Immunofluorescence of TOLLIP in human br...