

## **Product Datasheet**

**TIRAP Antibody (orb1238771)** 



## www.biorbyt.com

АВ

22- **▼ ▼TIRAP** 

Western blot analysis of TIRAP in human ...



Immunohistochemical staining of human he...



Immunofluorescence of TIRAP in Human Hea...

Description nts. TIRAP Antibody

Species/Host Rabbit

**Reactivity** Human, Mouse, Rat

**Conjugation** Unconjugated

**Tested** ELISA, IF, IHC-P, WB

Applications

Immunogen TIRAP antibody was raised against a peptide

corresponding to 15 amino acids near the C-terminus of mouse TIRAP.The immunogen is located within the

last 50 amino acids of TIRAP.

Target TIRAP

**Preservatives** TIRAP Antibody is supplied in PBS containing 0.02%

sodium azide.

Form/Appearance Liquid

Concentration 1 mg/mL

**Storage** TIRAP antibody can be stored at 4°C for three months

and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed

to prolonged high temperatures.

**Note** For research use only

**Application notes** TIRAP antibody can be used for detection of TIRAP by

Western blot at 1 to 2  $\mu$ g/mL. Antibody can also be used for immunohistochemistry starting at 2  $\mu$ g/mL. For immunofluorescence start at 10  $\mu$ g/mL.Antibody

validated: Western Blot in human samples; Immunohistochemistry in human samples and Immunofluorescence in human samples. All other

applications and species not yet tested.

**Isotype** IgG

**Clonality** Polyclonal

MW Predicted: 24, 26 kDa Observed: 24 kDa

Uniprot ID P58753

NCBI NP\_473437

**Dilution Range** TIRAP antibody can be used for detection of TIRAP by

Western blot at 1 to 2  $\mu$ g/mL. Antibody can also be used for immunohistochemistry starting at 2  $\mu$ g/mL. For immunofluorescence start at 10  $\mu$ g/mL.Antibody

Biorbyt LLC.

validatod: Wostorn Blot in human camples: