




Product Datasheet

TP53AIP1 Antibody (orb1239301)



www.biorbyt.com

., A E




Western blot analysis of p53AIP1 in HL60...



Immunocytochemistry of p53AIP1 in HL60

с...



Immunofluorescence of p53AIP1 in HL60 ce...

Descriptionnts. TP53AIP1 Antibody

Species/Host Rabbit

Reactivity Human

Conjugation Unconjugated

Tested ELISA, ICC, IF, WB Applications

Immunogen p53AIP1 antibody was raised against a 15 amino

acid synthetic peptide from near the amino terminus of human p53AIP1. The immunogen is located within the first 50 amino acids of p53AIP1.

Target TP53AIP1

Preservatives p53AIP1 Antibody is supplied in PBS containing

0.02% sodium azide.

Form/Appearance Liquid

Concentration 1 mg/ml

Storage p53AIP1 antibody can be stored at 4°C for three

months and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid

repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.

Note For research use only

Application notes p53AIP1 antibody can be used for detection of

p53AlP1 by Western blot at 4 - 8 μ g/mL. Antibody can also be used for immunocytochemistry starting at 10 μ g/mL. For immunofluorescence start at 20 μ g/mL.Antibody validated: Western Blot in human samples; Immunocytochemistry in human samples and Immunofluorescence in human samples. All other applications and species not yet tested.

Isotype IgG

Clonality Polyclonal

Uniprot ID Q9HCN2

NCBI BAB16421

7 Signet Court, Swann's Road, Cambridge, CB5 8LA, United Kingdom

Dilution Range p53AlP1 antibody can be used for detection of

p53AlP1 by Western blot at 4 - 8 μ g/mL. Antibody can also be used for immunocytochemistry starting at 10 μ g/mL. For immunofluorescence start at 20 μ g/mL.Antibody validated: Western Blot in human samples; Immunocytochemistry in human samples