



## **Product Datasheet**

FAF1 Antibody (orb1239816)




**Applications** 

## www.biorbyt.com


A B

95-FAF1 72-55-

Western blot analysis of FAF1 in THP-1 c...



Immunohistochemistry of FAF1 in rat sple...



Immunofluorescence of FAF1 in rat spleen...

Descriptionnts. FAF1 Antibody

Species/Host Rabbit

Reactivity Human, Mouse, Rat

Conjugation Unconjugated

Tested ELISA, IF, IHC-P, WB

**Immunogen** FAF1 antibody was raised against a 19 amino acid

> synthetic peptide from near the carboxy terminus of human FAF1. The immunogen is located within the

last 50 amino acids of FAF1.

FAF1 Target

**Preservatives** FAF1 Antibody is supplied in PBS containing 0.02%

sodium azide.

Form/Appearance Liquid

Concentration 1 mg/mL

**Storage** FAF1 antibody can be stored at 4°C for three months

> and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed

to prolonged high temperatures.

Note For research use only

**Application notes** FAF1 antibody can be used for detection of FAF1 by

> Western blot at 1 - 2 µg/mL. Antibody can also be used for immunohistochemistry starting at 2.5 μg/mL. For immunofluorescence start at 20 μg/mL.Antibody validated: Western Blot in human samples; Immunohistochemistry in rat samples and Immunofluorescence in rat samples. All other

applications and species not yet tested.

Isotype IgG

Clonality Polyclonal

мw Predicted: 74 kDa Observed: 80 kDa

**Uniprot ID Q9UNN5** 

**NCBI** NP 008982

**Dilution Range** FAF1 antibody can be used for detection of FAF1 by

> Western blot at 1 - 2 µg/mL. Antibody can also be used for immunohistochemistry starting at 2.5 μg/mL. For immunofluorescence start at 20

> > Biorbyt LLC.