

www.biorbyt.com

Product Datasheet

KLHL25 Antibody (orb1239836)

biorbyt


luge	
Description ^{nts.}	KLHL25 Antibody
Species/Host	Gallus
Reactivity	Human
Conjugation	Unconjugated
Tested Applications	ELISA, ICC, IF, WB
Immunogen	ENC-2 antibody was raised against a 14 amino acid synthetic peptide near the center of human ENC- 2.The immunogen is located within amino acids 230 - 280 of ENC-2.
Target	KLHL25
Preservatives	ENC-2 Antibody is supplied in PBS containing 0.02% sodium azide.
Form/Appearance	Liquid
Concentration	1 mg/mL
Storage	ENC-2 antibody can be stored at 4°C for three months and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.
Note	For research use only
Application notes	ENC-2 antibody can be used for detection of ENC-2 by Western blot at 1 µg/mL. Antibody can also be used for immunocytochemistry starting at 5 µg/mL. For immunofluorescence start at 20 µg/mL.Antibody validated: Western Blot in human samples; Immunocytochemistry in human samples and Immunofluorescence in human samples. All other applications and species not yet tested.
lsotype	IgY
Clonality	Polyclonal
Uniprot ID	Q9H0H3
NCBI	AAV51405
Dilution Range	ENC-2 antibody can be used for detection of ENC-2 by Western blot at 1 μg/mL. Antibody can also be used for immunocytochemistry starting at 5 μg/mL. For immunofluorescence start at 20 μg/mL.Antibody validated: Western Blot in human samples;

Immunocytochemistry in human samples and

Biorbyt Ltd.

7 Signet Court, Swann's Road, Cambridge, CB5 8LA, United Kingdom Email: **info@biorbyt.com** | Phone: **+44 (0) 1223 859-353** | Fax: +44 (0)1223 280 240 68 TW Alexander Drive
Research Triangle Park
Durham, North Carolina
27709. United States
Email: info@biorbyt.com | Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558


www.biorbyt.com



Western blot analysis of ENC-2 in Jurkat...



Immunocytochemistry of ENC-2 in Jurkat c...



Immunofluorescence of ENC-2 in Jurkat ce...