



## **Product Datasheet**

CCDC47 Antibody (orb1240027)



Descriptionnts.

**Applications** 

## www.biorbyt.com

Species/Host Rabbit

CCDC47 Antibody

Reactivity Human, Mouse, Rat

Conjugation Unconjugated

Tested ELISA, IF, IHC-P, WB

**Immunogen** CCDC47 antibody was raised against a 15 amino

> acid synthetic peptide from near the carboxy terminus of human CCDC47. The immunogen is located within the last 50 amino acids of CCDC47.

CCDC47 Target

**Preservatives** CCDC47 Antibody is supplied in PBS containing

0.02% sodium azide.

Form/Appearance Liquid

Concentration 1 mg/mL

**Storage** CCDC47 antibody can be stored at 4°C for three

months and -20°C, stable for up to one year. As with

all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not

be exposed to prolonged high temperatures.

Note For research use only

**Application notes** CCDC47 antibody can be used for detection of

> CCDC47 by Western blot at 1 - 2 µg/mL. Antibody can also be used for immunohistochemistry starting at 5  $\mu$ g/mL. For immunofluorescence start at 20 μg/mL.Antibody validated: Western Blot in mouse samples; Immunohistochemistry in mouse samples and Immunofluorescence in mouse samples. All other applications and species not yet tested.

Isotype IgG


Clonality Polyclonal

**Uniprot ID** Q96A33


NCBI **EAW94279** 

**Dilution Range** CCDC47 antibody can be used for detection of

> CCDC47 by Western blot at 1 - 2 µg/mL. Antibody can also be used for immunohistochemistry starting at 5 µg/mL. For immunofluorescence start at 20 μg/mL.Antibody validated: Western Blot in mouse samples; Immunohistochemistry in mouse samples



Western blot analysis of CCDC47 in mouse...



Immunohistochemistry of CCDC47 in mouse

Immunofluorescence of CDCC47 in mouse he...

Biorbyt LLC.

Carolina<br/>
<br/>
27709. United States

68 TW Alexander Drive<br/>br>Research Triangle Park<br/>br>Durham, North