



## **Product Datasheet**

CD5L Antibody (orb1240266)




## www.biorbyt.com

АВС

36-30-

Western blot analysis of AIM in Raji lys...



Immunohistochemistry of AIM in human lym...

Description of CD5L Antibody

Species/Host Rabbit

**Reactivity** Human, Mouse

**Conjugation** Unconjugated

Tested ELISA, IHC-P, WB

**Applications** 

**Immunogen** AIM antibody was raised against a 13 amino acid

synthetic peptide near the carboxy terminus of human AIM.The immunogen is located within amino

acids 250 - 300 of AIM.

Target CD5L

**Preservatives** AIM Antibody is supplied in PBS containing 0.02%

sodium azide.

Form/Appearance Liquid

Concentration 1 mg/mL

**Storage** AIM antibody can be stored at 4°C for three months

and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed

to prolonged high temperatures.

**Note** For research use only

**Application notes** AIM antibody can be used for the detection of AIM by

Western blot at 0.5 - 2  $\mu$ g/mL. Antibody can also be used for immunohistochemistry starting at 10  $\mu$ g/mL. Antibody validated: Western Blot in human samples and Immunohistochemistry in human samples. All other applications and species not yet tested.

**Isotype** IgG

**Clonality** Polyclonal

Uniprot ID 043866

NCBI AAD01446

**Dilution Range** AIM antibody can be used for the detection of AIM by

Western blot at 0.5 - 2  $\mu$ g/mL. Antibody can also be used for immunohistochemistry starting at 10  $\mu$ g/mL. Antibody validated: Western Blot in human samples and Immunohistochemistry in human samples. All other applications and species not yet tested.

**Expiration Date** 12 months from date of receipt.

Carolina < br > 27709. United States

68 TW Alexander Drive<br/>br>Research Triangle Park<br/>br>Durham, North