



Product Datasheet

SKAP2 Antibody (orb1246979)



www.biorbyt.com

Descriptionnts. SKAP2 Antibody

Species/Host Goat

Reactivity Human

Conjugation Unconjugated

ELISA. WB **Tested**

Applications

Immunogen The immunogen for this antibody is: C-GLVPKAYIMEMYDI

SKAP2 **Target**

Preservatives Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide,

pH 7.3 with 0.5% bovine serum albumin. Aliquot and store

at -20°C. Minimize freezing and thawing.

Form/Appearance Liquid

Concentration 500 ug/mL

Storage Aliquot and store at -20°C. Minimize freezing and thawing.

Note For research use only

Application notes Peptide ELISA: antibody detection limit dilution

> 1:32000.Western Blot:Approx 38kDa band observed in lysates of cell line Jurkat (calculated MW of 41.2kDa according to NP_003921.2). In transfected HEK293 transiently expressing SKAP2 a band of approx. 45kDa is observed. This band is not observed in the non-transfected HEK293. The calculated Recommended concentration: 0.5-2ug/ml. An additional band of unknown identity was also consistently observed in Jurkat at 28kDa. This band was successfully blocked by incubation with the immunising peptide. We would appreciate any feedback from people in the field - have any such results been reported with other antibodies/lysates? Have any further splice

variants/modified forms been reported?


Clonality Polyclonal

Uniprot ID 075563

NCBI NP 003921.2


Dilution Range Peptide ELISA: antibody detection limit dilution

> 1:32000.Western Blot:Approx 38kDa band observed in lysates of cell line Jurkat (calculated MW of 41.2kDa according to NP 003921.2). In transfected HEK293 transiently expressing SKAP2 a band of approx. 45kDa is observed. This band is not observed in the non-transfected HEK293. The calculated Recommended concentration: 0.5-2ug/ml. An additional band of unknown identity was also



250kDa 150kDa

orb1246979 (0.5 ug/ml) staining of Jurka...



HEK293 overexpressing SKAP2 and probed w...