

Product Datasheet

TRIM63 Antibody (orb1247241)

Description

TRIM63 Antibody

Species/Host

Goat

Reactivity

Human

Conjugation

Unconjugated

Tested

ELISA, IHC

Applications

Immunogen

The immunogen for this antibody is: DYKSSLIQDGNPM-C

Target

TRIM63

Preservatives

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH 7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing.

Form/Appearance

Liquid

Concentration

500 ug/mL

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Note

For research use only

Application notes

Peptide ELISA: antibody detection limit dilution 1:32000. Western Blot: Preliminary experiments gave an approx 60kDa band in Human Skeletal Muscle lysates after 0.1ug/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the band we observe given the calculated size of 40.2kDa according to NP_115977.2. The 60kDa band was successfully blocked by incubation with the immunizing peptide. Immunohistochemistry: In paraffin embedded Human Skeletal Muscle shows strong staining in rare nuclei, and weak staining of muscle fibres in longitudinal section. Recommended concentration: 1.25ug/ml.

Clonality

Polyclonal

Uniprot ID


[Q969Q1](#)

NCBI

[NP_115977.2](#)

Dilution Range

Peptide ELISA: antibody detection limit dilution 1:32000. Western Blot: Preliminary experiments gave an approx 60kDa band in Human Skeletal Muscle lysates after 0.1ug/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the band we observe given the calculated size of 40.2kDa according to NP_115977.2. The 60kDa band was successfully blocked by incubation with the immunizing peptide. Immunohistochemistry: In paraffin embedded Human Skeletal Muscle shows strong staining in rare nuclei, and



orb1247241
(1.25 ug/ml)
staining of
para...