

## Product Datasheet

### MLANA Antibody (orb1252556)

## Description

MLANA Antibody

### Species/Host

Mouse

### Reactivity

Canine, Human, Mouse, Rat

### Conjugation

Unconjugated

### Tested

FC, IF, IHC-P, WB

### Applications

### Immunogen

Recombinant human MLANA protein was used as the immunogen for the Melan-A antibody.

### Target

MLANA

### Preservatives

PBS with 0.1 mg/ml rAlbumin and 0.05% sodium azide

### Form/Appearance

Liquid

### Concentration

0.2 mg/mL

### Storage

Aliquot and Store at 2-8°C. Avoid freeze-thaw cycles.

### Note

For research use only

### Application notes

Flow Cytometry: 0.5-1 ug/million cells in 0.1ml  
Immunofluorescence: 0.5-1 ug/ml  
Immunohistochemistry (FFPE): 0.5-1 ug/ml for 30 min at RT (1)  
Western blot: 0.5-1 ug/ml  
Prediluted format : incubate for 30 min at RT (2)  
Optimal dilution of the Melan-A antibody should be determined by the researcher.  
1. Staining of formalin-fixed tissues is enhanced by boiling tissue sections in 10mM Citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes  
2. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.

### Isotype

IgG1

### Clonality


Monoclonal

### Uniprot ID


**Q16655**

### Dilution Range

Flow Cytometry: 0.5-1 ug/million cells in 0.1ml  
Immunofluorescence: 0.5-1 ug/ml  
Immunohistochemistry (FFPE): 0.5-1 ug/ml for 30 min at RT (1)  
Western blot: 0.5-1 ug/ml  
Prediluted format : incubate for 30 min at RT (2)  
Optimal dilution of the Melan-A antibody should be determined by the researcher.  
1. Staining of formalin-fixed tissues is enhanced by boiling tissue sections in 10mM Citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes  
2. The prediluted format is supplied in a dropper bottle and is



Formalin-fixed, paraffin-embedded human ...



Formalin-fixed, paraffin-embedded human ...