

Product Datasheet

FASLG Antibody (Biotin) (orb1272551)

Description

FASLG Antibody (Biotin)

Species/Host

Goat

Reactivity

Human

Conjugation

Biotin

Tested

ELISA, WB

Applications

Immunogen

Produced from sera of goats pre-immunized with highly pure (>98%) recombinant hFasL/Apo1 (human FasL/Apo1).

Target

FASLG

Form/Appearance

Lyophilized

Concentration

batch dependent

Storage

Fas Ligand antibody is stable for at least 2 years from date of receipt at -20°C. The reconstituted antibody is stable for at least two weeks at 2-8°C. Frozen aliquots are stable for at least 6 months when stored at -20°C. Avoid repeated freeze-thaw cycles.

Note

For research use only

Application notes

ELISA: Sandwich: To detect hFasL/Apo1L by sandwich ELISA (using 100 µL/well antibody solution) a concentration of 0.25 - 1.0 µg/mL of this antibody is required. This biotinylated polyclonal antibody, in conjunction with our Polyclonal Anti-Human FasL/Apo1L (XP-5130) as a capture antibody, allows the detection of at least 0.2 - 0.4 ng/well of recombinant hFasL/Apo1L. Western Blot: To detect hFasL/Apo1 by Western Blot analysis this antibody can be used at a concentration of 0.1 - 0.2 µg/mL. Used in conjunction with compatible secondary reagents the detection limit for recombinant hFasL/Apo1 is 1.5 - 3.0 ng/lane, under either reducing or non-reducing conditions.

Clonality

Polyclonal

Uniprot ID

P48023

NCBI

P48023

Dilution Range

ELISA: Sandwich: To detect hFasL/Apo1L by sandwich ELISA (using 100 µL/well antibody solution) a concentration of 0.25 - 1.0 µg/mL

Biorbyt Ltd.

7 Signet Court, Swann's Road, Cambridge, CB5 8LA, United Kingdom

Email: info@biorbyt.com | Phone: +44 (0) 1223 859-353 | Fax: +44 (0)1223 280 240

Biorbyt LLC.

68 TW Alexander Drive
Research Triangle Park
Durham, North Carolina
27709, United States

Email: info@biorbyt.com | Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558

detect hFasL/Apo1 by Western Blot analysis