



Product Datasheet

Murine Fibroblast Growth Factor-basic (rMubFGF) (orb1495073)

Description FGF basic (FGF-2, HBGF-2) is one of at least 22 mitogenic proteins of

the FGF family, which show 35 ...

Less than 1EU/mg of rMubFGF as determined by LAL method. **Endotoxins**

Preservatives Lyophilized from a 0.2mm filtered solution in PBS, pH 7.4.

Form/Appearance Sterile Filtered White lyophilized (freeze-dried) powder.

Storage This lyophilized preparation is stable at 2-8°C, but should be kept at -

> 20°C for long term storage, preferably desiccated. Upon reconstitution, the preparation is stable for up to one week at 2-8°C. For maximal stability, apportion the reconstituted preparation into working aliquots and store at -20°C to -70°C. Avoid repeated freeze/thaw cycles.

Note For research use only

Application notes We recommend that this vial be briefly centrifuged prior to opening to

> bring the contents to the bottom. Reconstitute in sterile distilled water or aqueous buffer containing 0.1% BSA to a concentration of 0.1-1.0 mg/mL. Stock solutions should be apportioned into working aliquots and stored at -20°C. Further dilutions should be made in appropriate

buffered solutions.

MPAI PEDGGAAEPPGHEKDPKRI YCKNGGEEI RIHPDGRVDGVREKSDPHVKI O **Protein Sequence**

LQAEERGVVSIKGVCANRYLAMKEDGRLLASKCVTEECFFFERLESNNYNTYRSR

KYSSWYVALKRTGQYKLGSKTGPGQKAILFLPMSAKS

Escherichia coli. Source

MW Approximately 16.2 kDa, a single non-glycosylated polypeptide chain

containing 146 amino acids.

Expiration Date 6 months from date of receipt.

7 Signet Court, Swann's Road, Cambridge, CB5 8LA, United Kingdom