

Product Datasheet

Human PEDF(Pigment Epithelium Derived Factor) ELISA Kit (orb1807267)



www.biorbyt.com

Descriptionnts. Human PEDF(Pigment Epithelium Derived

Reactivity Human

0.16-10 ng/mL Range

Target **PEDF**

Note For research use only

Application notes This ELISA kit uses the Sandwich-ELISA

> principle. The micro ELISA plate provided in this kit has been pre-coated with an antibody specific to Human PEDF.

Standards or samples are added to the micro ELISA plate wells and combined with the specific antibody. Then a biotinylated detection antibody specific for Human PEDF and Avidin-Horseradish Peroxidase (HRP) conjugate are added successively to

each micro plate well and incubated. Free components are washed away. The substrate solution is added to each well. Only those wells that contain Human PEDF, biotinylated detection antibody and

Avidin-HRP conjugate will appear blue in color. The enzyme-substrate reaction is terminated by the addition of stop solution and the color turns yellow. The optical

density (OD) is measured

spectrophotometrically at a wavelength of

450 nm \pm 2 nm. The OD value is proportional to the concentration of Human PEDF. You can calculate the concentration of Human PEDF in the samples by comparing the OD of the

samples to the standard curve.

Sample Types serum, plasma, Tissue homogenate and

Other biological samples

Sensitivity 0.10 ng/mL

Expiration Date Please enquire.

