



Product Datasheet

Mouse GFAP(glial fibrillary acidic protein) ELISA Kit (orb1807936)



Descriptionnts.

Mouse GFAP(glial fibrillary acidic protein)

P₁

www.biorbyt.com

Reactivity Range	Mouse 15.63-1000pg/mL	entry of the second sec
Target	GFAP	mee or a constanting and
Note	For research use only	
Application notes	This ELISA kit uses the Sandwich-ELISA principle. The micro ELISA plate provided in this kit has been pre-coated with an antibody specific to Mouse GFAP. Standards or samples are added to the micro ELISA plate wells and combined with the specific antibody. Then a biotinylated detection antibody specific for Mouse GFAP and Avidin-Horseradish Peroxidase (HRP) conjugate are added successively to each micro plate well and incubated. Free components are washed away. The substrate solution is added to each well. Only those wells that contain Mouse GFAP, biotinylated detection antibody and Avidin- HRP conjugate will appear blue in color. The enzyme-substrate reaction is terminated by the addition of stop solution and the color turns yellow. The optical density (OD) is measured spectrophotometrically at a wavelength of 450 nm \pm 2 nm. The OD value is proportional to the concentration of Mouse GFAP. You can calculate the concentration of Mouse GFAP in the samples by comparing the OD of the samples to the standard curve.	
Sample Types	serum, plasma, Tissue homogenate and Other biological samples	
Sensitivity	9.38 pg/mL	
Expiration Date	Please enquire.	

Biorbyt Ltd

7 Signet Court, Swann's Road, Cambridge, CB5 8LA, United Kingdom Email: info@biorbyt.com | Phone: +44 (0) 1223 859-353 | Fax: +44 (0)1223 280 240

Biorbyt LLC

68 TW Alexander Drive
br>Research Triangle Park
br>Durham, North Carolina
br>27709. United States

Email: info@biorbyt.com | Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558