

Product Datasheet

ERAB/HSD17B10 Antibody (orb251519)



www.biorbyt.com

Description^{nts.} ERAB/HSD17B10 Antibody

Species/Host Rabbit

Reactivity Human

Conjugation Unconjugated

Tested FC, ICC, IF, IHC, WB

Applications

Immunogen E.coli-derived human ERAB recombinant protein (Position:

E48-P261). Human ERAB shares 87% and 88% amino acid

(aa) sequence identity with mouse and rat ERAB,

respectively.

Form/Appearance Lyophilized

Concentration Adding 0.2 ml of distilled water will yield a concentration of

500 μg/ml.

Storage Store at -20°C for one year from date of receipt. After

reconstitution, at 4°C for one month. It can also be

aliquotted and stored frozen at -20°C for six months. Avoid

repeated freeze-thaw cycles.

Note For research use only

Application notes WB: The detection limit for ERAB is approximately 0.1ng/lane

under reducing conditions. Tested Species: In-house tested species with positive results. By Heat: Boiling the paraffin sections in 10mM citrate buffer, pH6.0, for 20mins is required for the staining of formalin/paraffin sections. Other

applications have not been tested. Optimal dilutions should be determined by end users. . Add 0.2ml of distilled water

will yield a concentration of 500ug/ml.

Isotype Rabbit IgG

Clonality Polyclonal

MW 26923 MW

Uniprot ID Q99714


Dilution Range Western blot, 0.1-0.5μg/ml Immunohistochemistry (Paraffin-

embedded Section), 0.5-1µg/ml, By Heat


Immunocytochemistry/Immunofluorescence, 2µg/ml Flow

Cytometry, 1-3µg/1x106 cells


Expiration Date 12 months from date of receipt.



Flow Cytometry analysis of A549 cells us...



Flow Cytometry analysis of A431 cells



WB analysis of ERAB using anti-ERAB anti...

Carolina < br > 27709. United States

68 TW Alexander Drive
br>Research Triangle Park
br>Durham, North