
www.biorbyt.com



Product Datasheet

Human FOLR2 Protein (orb257481)

Description	Folate receptor beta is also known as Folate receptor 2, FBP, FOLR2, BETA-HFR, FBP/PL-1, FR-BETA, FR	kDa 94.0 66.2
Reactivity	Human	45.0 33.0
Endotoxins	1.0 EU per μg	26.0 20.0
Conjugation	Unconjugated	14.4
Target	FOLR2	SD an
Preservatives	Tris and Glycine, pH7.5	F
Form/Appearance	Powder	þ
Storage	-20°C	
Tag	C-10×His	
Note	For research use only	
Application notes	This protein carries a polyhistidine tag at the C- terminus. The protein has a calculated MW of 26.5 kDa.	
	The protein migrates as 30-35 kDa under reducing (R) condition (SDS-PAGE) due to N-linked glycosylation which has been verified by PNGase F digestion.	
Protein Sequence	condition (SDS-PAGE) due to N-linked glycosylation	
Protein Sequence Purity	condition (SDS-PAGE) due to N-linked glycosylation which has been verified by PNGase F digestion.	
-	condition (SDS-PAGE) due to N-linked glycosylation which has been verified by PNGase F digestion. NP_000794.3	
Purity	 condition (SDS-PAGE) due to N-linked glycosylation which has been verified by PNGase F digestion. NP_000794.3 90% Human FOLR2, His Tag (orb257481) is expressed from human 293 cells (HEK293). It contains AA Thr 17 - His 	
Purity Source	condition (SDS-PAGE) due to N-linked glycosylation which has been verified by PNGase F digestion. NP_000794.3 90% Human FOLR2, His Tag (orb257481) is expressed from human 293 cells (HEK293). It contains AA Thr 17 - His 228 (Accession # P14207-1).	



SDS-PAGE analysis of Human FOLR2 protein

Biorbyt Ltd.

7 Signet Court, Swann's Road, Cambridge, CB5 8LA, United Kingdom Email: info@biorbyt.com | Phone: +44 (0) 1223 859-353 | Fax: +44 (0)1223 280 240

Biorbyt LLC.

68 TW Alexander Drive
Research Triangle Park
Durham, North Carolina
27709. United States
Email: info@biorbyt.com | Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558