



Product Datasheet

BCAR3 Antibody (orb334579)



www.biorbyt.com

Descriptionnts.	BCAR3 Antibody	130KD —
Species/Host	Rabbit	70KD — 55KD —
Reactivity	Human, Mouse, Rat	35KD — 25KD —
Conjugation	Unconjugated	15KD —
Tested Applications	IHC, WB	WB analysis of BCAR3 using
Immunogen	A synthetic peptide corresponding to a sequence at the C-terminus of human BCAR3 (791-825aa KGAQVNQTERYEKFNQILTALSRKLEPPPVKQAEL), different from the related mouse sequence by five amino acids.	anti-BCAR3 an
Form/Appearance	Lyophilized	
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 $\mu\text{g/ml}$.	
Storage	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.	IHC analysis of BCAR3 using anti-BCAR3 a
Note	For research use only	
Application notes	Tested Species: In-house tested species with positive results. By Heat: Boiling the paraffin sections in 10mM citrate buffer, pH6.0, for 20mins is required for the staining of formalin/paraffin sections. Other applications have not been tested. Optimal dilutions should be determined by end users. Add 0.2ml of distilled water will yield a concentration of 500ug/ml.	
Isotype	Rabbit IgG	IHC analysis of BCAR3 using
Clonality	Polycional	anti-BCAR3 a
MW	92566 MW	
Uniprot ID	075815	
Dilution Range	Immunohistochemistry (Paraffin-embedded Section), 0.5-1µg/ml, Human, Mouse, Rat, By Heat Western blot, 0.1-0.5µg/ml, Human	
Expiration Date	12 months from date of receipt.	