

www.biorbyt.com

## **Product Datasheet**

Horse IgG (H&L) antibody (Peroxidase) (orb346635)

# biorbyt

## www.biorbyt.com

Horse IgG (H&L) antibody (Peroxidase)	
Rabbit	
Equine	
HRP	
ELISA, IHC, WB	
Horse IgG whole molecule	
None	
Lyophilized	
10.0 mg/mL	
Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.	
For research use only	
This product has been assayed against 1.0 ug of Horse IgG in a standard capture ELISA using ABTS (2,2'-azino-bis- [3-ethylbenthiazoline-6-sulfonic acid]) code # ABTS-100 as a substrate for 30 minutes at room temperature. A working dilution of 1:20,000 to 1:100,000 of the reconstitution concentration is suggested for this product.	
lgG	
Polyclonal	
This product is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti- Peroxidase, anti-Rabbit Serum, Horse	
	Equine HRP ELISA, IHC, WB Horse IgG whole molecule None Lyophilized 10.0 mg/mL Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use. For research use only This product has been assayed against 1.0 ug of Horse IgG in a standard capture ELISA using ABTS (2,2' -azino-bis- (3-ethylbenthiazoline-6-sulfonic acid)) code # ABTS-100 as a substrate for 30 minutes at room temperature. A working dilution of 1:20,000 to 1:100,000 of the reconstitution concentration is suggested for this product. IgG Polyclonal This product is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-

### Biorbyt Ltd.

7 Signet Court, Swann's Road, Cambridge, CB5 8LA, United Kingdom Email: **info@biorbyt.com** | Phone: **+44 (0) 1223 859-353** | Fax: +44 (0)1223 280 240

### Biorbyt LLC

68 TW Alexander Drive<br>Research Triangle Park<br>Durham, North Carolina<br>27709. United States<br/>Email: info@biorbyt.com | Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558