

www.biorbyt.com

## **Product Datasheet**

Horse IgG F(ab')2 antibody (Peroxidase) (orb347142)

## biorbyt

## www.biorbyt.com

Explore Bioreagents.

Descriptionnts.	Horse IgG F(ab')2 antibody (Peroxidase)
Species/Host	Goat
Reactivity	Equine
Conjugation	HRP
Tested Applications	ELISA, IHC, WB
Immunogen	Anti-Horse IgG was produced by repeated immunization with horse IgG F(ab')2 fragment in goat.
Preservatives	0.01% (w/v) Gentamicin Sulfate. Do NOT add Sodium Azide!
Form/Appearance	Lyophilized
Concentration	2.0 mg/mL
Storage	Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.
Note	For research use only
Application notes	Anti-Horse IgG F(ab')2 peroxidase conjugated antibody has been tested by ELISA and is suitable for immunoblotting (western or dot blot), ELISA, immunoperoxidase electron microscopy and immunohistochemistry as well as other peroxidase-antibody based enzymatic assays requiring lot-to-lot consistency.
lsotype	lgG
Clonality	Polyclonal
Purity	This product was prepared from monospecific antiserum by immunoaffinity chromatography using Horse IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis
Biorbyt Ltd.	Biorbyt LLC.

7 Signet Court, Swann's Road, Cambridge, CB5 8LA, United Kingdom Email: info@biorbyt.com | Phone: +44 (0) 1223 859-353 | Fax: +44 (0)1223 280 68 TW Alexander Drive<br>Research Triangle Park<br>Durham, North Email: info@biorbyt.com | Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558

**Dilution Range**