

Product Datasheet

F(ab')2 Human IgG IgA IgM (H&L) antibody (TRITC) (orb348160)



www.biorbyt.com

Descriptionnts. F(ab')2 Human IgG IgA IgM (H&L)

Species/Host Goat

Reactivity Human

TRITC Conjugation

Tested FC, FLISA, IF

Applications

Human IgG, IgA, and IgM whole **Immunogen**

molecules

Preservatives 0.01% (w/v) Sodium Azide

Form/Appearance Lyophilized

Concentration 1.0 mg/mL

Storage Store vial at 4° C prior to restoration.

> For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely

clear after standing at room

temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate

use.

Note For research use only

Application notes F(ab')2 Anti-Human IgG IgA IgM (H&L)

> Rhodamine Antibody is ideal for investigators who routinely perform

flow cytometry,

immunohistochemistry or IHC and other immunoassays. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing

various commercial platforms.

Isotype IgG F(ab')2

Clonality Polyclonal

Purity F(ab')2 Anti-HUMAN IgG IgA IgM (H&L)

(GOAT) Antibody was prepared from

polyspecific antiserum by

immunoaffinity chromatography using antigens coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities.

Assay hy immunnelectronhoresis

Biorbyt Ltd.

7 Signet Court, Swann's Road, Cambridge, CB5 8LA, United Kingdom

Email: info@biorbyt.com | Phone: +44 (0) 1223 859-353 | Fax: +44 (0)1223 280

Biorbyt LLC.

68 TW Alexander Drive
br>Research Triangle Park
br>Durham, North Carolina < br > 27709. United States

Email: info@biorbyt.com | Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558