

## **Product Datasheet**

F(ab')2 Sheep IgG (H&L) antibody (orb348387)



## www.biorbyt.com

**Description**nts. F(ab')2 Sheep IgG (H&L) antibody

Species/Host Donkey

Reactivity Sheep

**Conjugation** Unconjugated

Tested
Applications

DOT, ELISA, IHC, WB

**Immunogen** Sheep IgG whole molecule

**Preservatives** 0.01% (w/v) Sodium Azide

Form/Appearance Liquid (sterile filtered)

**Concentration** 0.95 mg/mL

**Storage** Store vial at 4° C prior to opening. This

product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and

thawing.

**Note** For research use only

**Application notes** F(ab')2 Anti-Sheep IgG Antibody has been

tested by dot blot and SDS-PAGE and is suitable for immunomicroscopy and flow cytometry or FACS analysis as well as other antibody based fluorescent assays requiring extremely low background levels, absence of F(c) mediated binding, lot-to-lot consistency, high titer and specificity. The maximum amount of reagent required to stain 1 x 10E6 cells in flow cytometry is approximately 1.0 µg of antibody. Lesser amounts of reagent may be sufficient for staining. Optimal titers for other applications should be determined by the researcher. As a general guideline dilutions of 1:100 to 1:250 should be suitable for most applications.

**Isotype** IgG F(ab')2

**Clonality** Polyclonal

**Purity** This product was prepared from

monospecific antiserum by

immunoaffinity chromatography using Sheep IgG coupled to agarose beads followed by solid phase adsorption(s) to

Biorbyt Ltd.

7 Signet Court, Swann's Road, Cambridge, CB5 8LA, United Kingdom

Email: info@biorbyt.com | Phone: +44 (0) 1223 859-353 | Fax: +44 (0)1223 280 240

Biorbyt LLC.

68 TW Alexander Drive<br/>br>Research Triangle Park<br/>br>Durham, North Carolina<br/>br>27709. United States

Email: info@biorbyt.com | Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558