

Product Datasheet

Normal Rat Heart Whole Cell Lysate (orb348728)



www.biorbyt.com

Descriptionnts. Normal Rat Heart Whole Cell Lysate

Conjugation Unconjugated

Tested Applications SDS-PAGE, WB

Preservative: None. Stabilizer: 10% (v/v) **Preservatives**

> Glycerol. 1X SDS-PAGE Sample Buffer (62.5 mM Tris HCl, 2% SDS, 10%

Glycerol and 0.005% bromophenol blue,

pH 6.8)

Form/Appearance Liquid (sterile filtered)

Concentration 1.0 mg/ml

Store vial at -70° C or COLDER. For Storage

extended storage, aliquot contents to

minimize freeze/thaw cycles.

Note For research use only

Application notes ready-to-use lysates are especially

prepared as positive controls for

separation by SDS-PAGE and subsequent

western blot analysis. Lysates are prepared in denaturing buffer WITHOUT

dissociating agents (i.e. no 2-

mercaptoethanol or dithiothreitol has been added). Heat lysate to 95°C for 5 minutes and rapidly cool. If dissociating conditions are desired, add reducing

agent prior to heating. The

recommended loading volume per lane is 10-20 µl depending on the size format

of your gel.

Tissues were washed exhaustively with **Purity**

> PBS to remove blood and other debris. A lysate was prepared by homogenizing the tissue and washing the cells in cold PBS. Washed cells were incubated at 4° C in modified RIPA buffer containing 150 mM sodium chloride, 50 mM Tris Cl, pH 7.4, 1 mM EDTA, 1.0% NP-40, 0.5% sodium deoxycholic acid and 0.1% SDS to lyse the cells. Protein integrity is ensured using a cocktail of protease inhibitors with broad specificity for the inhibition of aspartic, cysteine, and

serine proteases as well as

aminopeptidases (0.1 mM AEBSF HCl, 0.08 μM Aprotinin, 5 μM Bestatin, 1.5 μM

Biorbyt Ltd.

7 Signet Court, Swann's Road, Cambridge, CB5 8LA, United Kingdom Email: info@biorbyt.com | Phone: +44 (0) 1223 859-353 | Fax: +44 (0)1223 280 Biorbyt LLC.

68 TW Alexander Drive
br>Research Triangle Park
br>Durham, North Carolina < br > 27709. United States

Email: info@biorbyt.com | Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558