

Product Datasheet

Activin Receptor Type IIA/ACVR2A Antibody (orb381029)

Description

Activin Receptor Type IIA/ACVR2A Antibody

Species/Host

Rabbit

Reactivity

Human, Mouse, Rat

Conjugation

Unconjugated

Tested Applications

FC, ICC, IF, IHC, WB

Immunogen

E. coli-derived human ACVR2A recombinant protein (Position: Q421-L513). Human ACVR2A shares 100% and 98.9% amino acid (aa) sequence identity with mouse and rat ACVR2A, respectively.

Form/Appearance

Lyophilized

Concentration

Adding 0.2 ml of distilled water will yield a concentration of 500 µg/ml.

Storage

Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.

Note

For research use only

Application notes

Tested Species: In-house tested species with positive results. By Heat: Boiling the paraffin sections in 10mM citrate buffer, pH6.0, for 20mins is required for the staining of formalin/paraffin sections. Other applications have not been tested. Optimal dilutions should be determined by end users. . Add 0.2ml of distilled water will yield a concentration of 500ug/ml.

Isotype

Rabbit IgG

Clonality

Polyclonal

MW

57848 MW

Uniprot ID


[P27037](#)

Dilution Range


Western blot, 0.1-0.5µg/ml, Human, Rat
Immunohistochemistry (Paraffin-embedded Section), 0.5-1µg/ml, Human, By Heat
Immunocytochemistry/Immunofluorescence, 2µg/ml, Rat
Flow Cytometry, 1-3µg/1x10⁶ cells, Mouse, Rat

Expiration Date

12 months from date of receipt.



Flow Cytometry analysis of HEPA1-6 cells...



Flow Cytometry analysis of RH35 cells us...



WB analysis of ACVR2A using anti-ACVR2A ...