

## **Product Datasheet**

CD45RB Antibody (B-cell marker) (orb385695)



## Descriptionnts. CD45R, also designated CD45 and PTPRC, has been

## www.biorbyt.com


200 —

97 — 66 — 44 — 29 —

Western blot analysis of Daudi lysate us...



Immunohistochemical staining of Human to...



Immunohistochemical staining of human ly...

broadly ...

Species/Host Mouse

**Reactivity** Human

**Conjugation** Unconjugated

**Tested** IHC-P, WB

Applications

ImmunogenRecombinant full-length human CD45RB protein

was used as immunogen for this CD45RB antibody.

**Preservatives** 0.2 mg/ml in 1X PBS with 0.1 mg/ml rAlbumin (US

sourced) and 0.05% sodium azide

**Storage** The CD45RB antibody (with azide) can be stored at

2-8°C. The azide-free format should be aliquoted

and stored at -20°C or colder.

**Note** For research use only

**Application notes** Due to variation in protocol and secondary

antibody used, the CD45RB antibody may need to be titered for optimal performance.1. FFPE staining requires boiling tissue sections in 10mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes.2. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and

incubate at RT for 30 min.

Formula 0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US

sourced) and 0.05% sodium azide

**Isotype** Mouse IgG1, kappa

**Clonality** Monoclonal

**Purity** Protein G affinity chromatography

Uniprot ID P08575

**Hazard** This CD45RB antibody is available for research use

**Information** only.

**Dilution Range** Western blot: 0.5-1ug/ml,Immunohistochemistry

(FFPE): 0.5-1ug/ml for 30 min at RT

**Expiration Date** 12 months from date of receipt.

Carolina < br > 27709. United States

68 TW Alexander Drive<br/>br>Research Triangle Park<br/>br>Durham, North