

Product Datasheet

Human ICAM2 protein (orb391875)

Description

Recombinant human ICAM2 protein is

system and the target gene e...

Reactivity

Human

Endotoxins

Endotoxin: Less than 0.1 ng/μg (1 IEU/μg) as determined by LAL test.

Tested

ELISA, MS, SDS-PAGE, WB

Applications
Target

ICAM2

Preservatives

Lyophilized from a 0.2 μM filtered solution of 20mM PB, 150mM NaCl, 2mM CaCl₂, 2mM MgCl₂, 5% Threhalose, pH 7.2.

Form/Appearance

Lyophilized from a 0.2 μM filtered solution of 20mM PB, 150mM NaCl, 2mM CaCl₂, 2mM MgCl₂, 5% Threhalose, pH 7.2.

Storage

Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 2-8°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.

Note

For research use only

Application notes

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 μg/ml. Dissolve the lyophilized protein in 1X PBS. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Protein Sequence

KVFEVHVRPK KLAVEPKGSL EVNCSTTCNQ
PEVGGLTSL DKILLDEQAQ WKHYLVSNIS
HDTVLQCHFT CSGKQESMNS NVSVYQPPRQ
VILTLOPTLV AVGKSFTIEC RVPTVEPLDS
LTLFLFRGNE TLHYETFGKA APAPQEATAT
FNSTADREDG HRNFSCLAVL DLMSRGGNIF
HKHSAPKMLE IYEPVSDSQV DHHHHHH

Purity

Greater than 95% as determined by reducing SDS-PAGE.

Source

Human cells

Uniprot ID
P13598
Entrez
3384