

Product Datasheet

F(ab')2 Rat IgG F(ab')2 antibody (TRITC) (orb420164)



www.biorbyt.com

Descriptionnts. F(ab')2 Rat IgG F(ab')2 antibody (TRITC)

Species/Host Goat

Reactivity Rat

TRITC Conjugation

Tested

Applications

FC. FLISA. IF

Rat IgG F(ab')2 fragment **Immunogen**

0.05% (w/v) Sodium Azide **Preservatives**

Form/Appearance Lyophilized

Concentration 1.0 mg/mL

Store vial at 4° C prior to restoration. For Storage

> extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior

to immediate use.

Note For research use only

Application notes F(ab')2 Anti-Rat IgG F(ab')2 Rhodamine

Antibody is designed for

immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.

Isotype IgG F(ab')2

Clonality Polyclonal

Purity This product was prepared from

monospecific antiserum by

immunoaffinity chromatography using Rat IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities, pepsin digestion and chromatographic

separation. Assay by

immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum, Rat IgG, Rat IgG F(ab')2 and Rat

Serum No reaction was observed

68 TW Alexander Drive
br>Research Triangle Park
br>Durham, North