

www.biorbyt.com

## **Product Datasheet**

Histone H4 K16ac antibody (orb420427)

## biorbyt

Descriptionnts.

## www.biorbyt.com

| Species/Host           | Rabbit  |
|------------------------|---|
| Reactivity             | Human, Mouse  |
| Conjugation            | Unconjugated  |
|                        |   |
| Tested<br>Applications | ChIP, DOT, IF, IHC, Multiplex Assay, WB   |
| Immunogen              | Histone H4 [ac Lys16] affinity purified<br>antibody was prepared from whole rabbit<br>serum produced by repeated immunizations<br>with a synthetic acetylated peptide<br>surrounding Lysine 16 of human Histone H4.   |
| Preservatives          | 0.01% (w/v) Sodium Azide  |
| Form/Appearance        | Liquid (sterile filtered)   |
| Concentration          | 1.0 mg/ml   |
| Storage                | Store vial at -20° C prior to opening. Aliquot<br>contents and freeze at -20° C or below for<br>extended storage. Avoid cycles of freezing<br>and thawing. Centrifuge product if not<br>completely clear after standing at room<br>temperature. This product is stable for<br>several weeks at 4° C as an undiluted liquid.<br>Dilute only prior to immediate use.  |
| Note                   | For research use only   |
| Application notes      | Anti-Histone H4 [ac Lys16] antibody is<br>tested for Western Blot, Dot Blot,<br>Immunofluorescence, and<br>Immunocytochemistry. Specific conditions<br>for reactivity should be optimized by the<br>end user. Expect a band approximately ~13<br>kDa corresponding to Histone H4 protein by<br>Western Blotting in HeLa histone prep<br>lysate or the appropriate cell lysate or<br>extract. Epi-Plus antibody production in<br>collaboration with Novus Biologicals. |
| lsotype                | lgG   |
| Clonality              | Polyclonal  |
| Purity                 | Anti-Histone H4 [ac Lys16] was affinity<br>purified from monospecific antiserum by<br>immunoaffinity chromatography. This<br>antibody reacts with human Histone H4. A<br>BLAST analysis was used to suggest cross-<br>reactivity with Human mouse, and C  |

Histone H4 K16ac antibody

## Biorbyt Ltd.

7 Signet Court, Swann's Road, Cambridge, CB5 8LA, United Kingdom Email: **info@biorbyt.com** | Phone: **+44 (0) 1223 859-353** | Fax: +44 (0)1223 280 240 Biorbyt LLC. 68 TW Alexander Drive<br>Research Triangle Park<br>Durham, North Carolina<br>27709. United States Email: info@biorbyt.com | Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558