


## Product Datasheet

### UROD antibody (orb79335)

<b>Description</b>	Goat polyclonal to UROD
<b>Species/Host</b>	Goat
<b>Reactivity</b>	Human
<b>Conjugation</b>	Unconjugated
<b>Tested Applications</b>	ELISA, IHC, WB
<b>Target</b>	UROD
<b>Preservatives</b>	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH 7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing.
<b>Storage</b>	Aliquot and store at -20°C. Minimize freezing and thawing.
<b>Note</b>	For research use only
<b>Application notes</b>	WB: Approx 40kDa band observed in lysates of cell line K56 (calculated MW of 40.8kDa according to NP_000365.3). Recommended concentration: 0.1-0.3 µg/ml. An additional band of unknown identity was also consistently observed at 28kDa. This band was successfully blocked by incubation with the immunizing peptide. We would appreciate any feedback from people in the field - have any such results been reported with other antibodies/lysates. Have any further splice variants/modified forms been reported.
<b>Protein Sequence</b>	KARECVGKTVTLQGN
<b>Clonality</b>	Polyclonal
<b>MW</b>	40.8
<b>Entrez</b>	<b>7389</b>
<b>Dilution Range</b>	ELISA: 1:128000, WB: 0.1-0.3 µg/ml, IHC-P: 5 µg/ml
<b>Expiration Date</b>	12 months from date of receipt.



Western blot analysis of K562 lysate using UROD antibody (orb79335).