



EGFR (phospho Thr693) rabbit pAb

Cat#: orb764175 (Manual)

For research use only. Not intended for diagnostic use.

Product Name EGFR (phospho Thr693) rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;ELISA

Species Cross-Reactivity Human; Mouse; Rat

Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Recommended dilutions

Immunofluorescence: 1/200 - 1/1000. ELISA: 1/40000. Not yet tested in

other applications.

The antiserum was produced against synthesized peptide derived from **Immunogen**

human EGFR around the phosphorylation site of Thr693. AA range:661-710

Phospho-EGFR (T693) Polyclonal Antibody detects endogenous levels of **Specificity**

EGFR protein only when phosphorylated at T693.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Store at -20°C. Avoid repeated freeze-thaw cycles. **Storage**

Epidermal growth factor receptor **Protein Name**

Gene Name **EGFR**

Cellular localization Cell membrane ; Single-pass type I membrane protein . Endoplasmic

reticulum membrane; Single-pass type I membrane protein. Golgi apparatus membrane; Single-pass type I membrane protein. Nucleus membrane; Single-pass type I membrane protein. Endosome . Endosome membrane. Nucleus . In response to EGF, translocated from the cell membrane to the nucleus via Golgi and ER (PubMed:20674546, PubMed:17909029).

Endocytosed upon activation by ligand (PubMed:2790960, PubMed:17182860, PubMed:27153536, PubMed:17909029). Colocalized with GPER1 in the nucleus of estrogen agonist-induced cancer-associated fibroblasts (CAF) (PubMed:20551055). .; [Isoform 2]: Secreted.





Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Clonality Polyclonal

Concentration 1 mg/ml

Observed band 175kD

Human Gene ID 1956

Human Swiss-Prot Number P00533


Alternative Names EGFR; ERBB; ERBB1; HER1; Epidermal growth factor receptor; Proto-

oncogene c-ErbB-1; Receptor tyrosine-protein kinase erbB-1

Background The protein encoded by this gene is a transmembrane glycoprotein that is a

member of the protein kinase superfamily. This protein is a receptor for members of the epidermal growth factor family. EGFR is a cell surface protein that binds to epidermal growth factor. Binding of the protein to a ligand induces receptor dimerization and tyrosine autophosphorylation and leads to cell proliferation. Mutations in this gene are associated with lung

cancer. [provided by RefSeq, Jun 2016],




Western Blot analysis of various cells using Phospho-EGFR (T693) Polyclonal Antibody







Explore. Bioreagents.



Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-Phosphopeptide (Phospho-right), using EGFR (Phospho-Thr693) Antibody



Immunofluorescence analysis of HUVEC cells, using EGFR (Phospho-Thr693) Antibody. The picture on the right is blocked with the phospho peptide.



 $Immunohistochemistry\ analysis\ of\ paraffin-embedded\ human\ breast\ carcinoma, using\ EGFR\ (Phospho-Thr693)\ Antibody.\ The\ picture\ on\ the\ right\ is\ blocked\ with\ the\ phospho\ peptide.$