



Paxillin (phospho Tyr118) rabbit pAb

Cat#: orb764267 (Manual)

For research use only. Not intended for diagnostic use.

Product Name Paxillin (phospho Tyr118) rabbit pAb

Host species Rabbit

Applications WB;ELISA

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other

applications.

Immunogen The antiserum was produced against synthesized peptide derived from

human Paxillin around the phosphorylation site of Tyr118. AA range:85-134

Specificity Phospho-Paxillin (Y118) Polyclonal Antibody detects endogenous levels of

Paxillin protein only when phosphorylated at Y118.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Paxillin

Gene Name PXN

Cellular localization Cytoplasm, cytoskeleton . Cell junction, focal adhesion . Cytoplasm, cell

cortex. Colocalizes with integrins at the cell periphery. Colocalize with PXN

to membrane ruffles and the leading edge of migrating cells

(PubMed:23128389). .

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.





Explore. Bioreagents.

Clonality Polyclonal

Concentration 1 mg/ml

Observed band 64kD


Human Gene ID 5829

Human Swiss-Prot Number P49023


Alternative Names PXN; Paxillin

Background

This gene encodes a cytoskeletal protein involved in actin-membrane attachment at sites of cell adhesion to the extracellular matrix (focal adhesion). Alternatively spliced transcript variants encoding different isoforms have been described for this gene. These isoforms exhibit different expression pattern, and have different biochemical, as well as physiological properties (PMID:9054445). [provided by RefSeq, Aug 2011],



Western Blot analysis of various cells using Phospho-Paxillin (Y118) Polyclonal Antibody



Western blot analysis of lysates from HeLa cells treated with EGF, using Paxillin (Phospho-Tyr118) Antibody. The lane on the right is blocked with the phospho peptide.



