



## Acrp30 rabbit pAb

Cat#: orb764461 (Manual)

For research use only. Not intended for diagnostic use.

Product Name Acrp30 rabbit pAb

Host species Rabbit

Applications WB;ELISA

Species Cross-Reactivity Human; Mouse; Rat

**Recommended dilutions** Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other

applications.

Immunogen The antiserum was produced against synthesized peptide derived from

human Acrp30. AA range:6-55

Specificity Acrp30 Polyclonal Antibody detects endogenous levels of Acrp30 protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Adiponectin

Gene Name ADIPOQ

Cellular localization Secreted.

**Purification** The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

**Clonality** Polyclonal





Explore. Bioreagents.

Concentration 1 mg/ml

Observed band 30kD

**Human Gene ID** 9370

**Human Swiss-Prot Number** Q15848

ADIPOQ; ACDC; ACRP30; APM1; GBP28; Adiponectin; 30 kDa adipocyte **Alternative Names** 


complement-related protein; Adipocyte complement-related 30 kDa protein; ACRP30; Adipocyte; C1q and collagen domain-containing protein;

Adipose most abundant gene transcript 1


Background

adiponectin, C1Q and collagen domain containing(ADIPOQ) Homo sapiens This gene is expressed in adipose tissue exclusively. It encodes a protein with similarity to collagens X and VIII and complement factor C1q. The encoded protein circulates in the plasma and is involved with metabolic and hormonal processes. Mutations in this gene are associated with adiponectin deficiency. Multiple alternatively spliced variants, encoding the same protein, have been

identified. [provided by RefSeq, Apr 2010],



Western blot analysis of lysates from 1) HeLa, 2) VEC, 3) 293 cells, (Green) primary antibody was diluted at 1:1000, 4°over night, antibody(cat:RS23920)was diluted at 1:10000, 37° 1hour. (Red) secondary Tubulin β Monoclonal Antibody(5G3) (cat:YM3030) antibody was diluted at 1:5000 as loading control, 4° over night, secondary antibody (cat: RS23710) was diluted at 1:10000, 37° 1hour.




Western Blot analysis of various cells using Acrp30 Polyclonal Antibody diluted at 1:1000






Explore. Bioreagents.



Western Blot analysis of HeLa cells using Acrp30 Polyclonal Antibody diluted at 1:1000



Western blot analysis of lysate from HeLa cells, using Acrp30 antibody.