



ADAMTS-1 rabbit pAb


Cat#: orb764474 (Manual)

For research use only. Not intended for diagnostic use.

Product Name	ADAMTS-1 rabbit pAb
Host species	Rabbit
Applications	WB;ELISA
Species Cross-Reactivity	Human;Rat;Mouse;
Recommended dilutions	Western Blot: 1/500 - 1/2000. ELISA: 1/5000. Not yet tested in other applications.
Immunogen	Synthesized peptide derived from ADAMTS-1 . at AA range: 160-240
Specificity	ADAMTS-1 Polyclonal Antibody detects endogenous levels of ADAMTS-1 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.
Protein Name	A disintegrin and metalloproteinase with thrombospondin motifs 1
Gene Name	ADAMTS1
Gene Name Cellular localization	ADAMTS1 Secreted, extracellular space, extracellular matrix .




Concentration	1 mg/ml
Observed band	105kD
Human Gene ID	9510
Human Swiss-Prot Number	Q9UHI8
Alternative Names	ADAMTS1; KIAA1346; METH1; A disintegrin and metalloproteinase with thrombospondin motifs 1; ADAM-TS 1; ADAM-TS1; ADAMTS-1; METH-1
Background	This gene encodes a member of the ADAMTS (a disintegrin and metalloproteinase with thrombospondin motif) protein family. Members of the family share several distinct protein modules, including a propeptide region, a metalloproteinase domain, a disintegrin-like domain, and a thrombospondin type 1 (TS) motif. Individual members of this family differ in the number of C-terminal TS motifs, and some have unique C-terminal domains. The protein encoded by this gene contains two disintegrin loops and three C-terminal TS motifs and has anti-angiogenic activity. The expression of this gene may be associated with various inflammatory processes as well as development of cancer cachexia. This gene is likely to be necessary for normal growth, fertility, and organ morphology and function. [provided by RefSeq, Jul 2008],









Western Blot analysis of HUVEC cells using ADAMTS-1 Polyclonal Antibody