



## APC5 rabbit pAb

Cat#: orb764551 (Manual)

For research use only. Not intended for diagnostic use.

Product Name APC5 rabbit pAb

Host species Rabbit

Applications WB;ELISA

Species Cross-Reactivity Human; Rat; Mouse;

**Recommended dilutions** Western Blot: 1/500 - 1/2000. ELISA: 1/5000. Not yet tested in other

applications.

Immunogen The antiserum was produced against synthesized peptide derived from

human ANAPC5. AA range:151-200

Specificity APC5 Polyclonal Antibody detects endogenous levels of APC5 protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Anaphase-promoting complex subunit 5

Gene Name ANAPC5

Cellular localization Nucleus . Cytoplasm, cytoskeleton, spindle .

**Purification** The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

**Clonality** Polyclonal





Concentration 1 mg/ml

Observed band 85kD

Human Gene ID 51433


Human Swiss-Prot Number Q9UJX4

Alternative Names ANAPC5; APC5; Anaphase-promoting complex subunit 5; APC5;

Cyclosome subunit 5

**Background** 

This gene encodes a tetratricopeptide repeat-containing component of the anaphase promoting complex/cyclosome (APC/C), a large E3 ubiquitin ligase that controls cell cycle progression by targeting a number of cell cycle regulators such as B-type cyclins for 26S proteasome-mediated degradation through ubiquitination. The encoded protein is required for the proper ubiquitination function of APC/C and for the interaction of APC/C with transcription coactivators. It also interacts with polyA binding protein and represses internal ribosome entry site-mediated translation. Multiple transcript variants encoding different isoforms have been found for this gene. These differences cause translation initiation at a downstream AUG and result in a shorter protein (isoform b), compared to isoform a. [provided by RefSeq, Nov 2008],




Western Blot analysis of various cells using APC5 Polyclonal Antibody





Explore. Bioreagents.



Western blot analysis of the lysates from HeLa cells using ANAPC5 antibody.