



## Cox-1 rabbit pAb

Cat#: orb764907 (Manual)

For research use only. Not intended for diagnostic use.

Product Name Cox-1 rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;ELISA

Species Cross-Reactivity Human; Rat; Mouse;

**Recommended dilutions** Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA:

1/40000. Not yet tested in other applications.

Immunogen The antiserum was produced against synthesized peptide derived from

human Cox1. AA range:550-599

Specificity Cox-1 Polyclonal Antibody detects endogenous levels of Cox-1 protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Prostaglandin G/H synthase 1

Gene Name PTGS1

Cellular localization Microsome membrane; Peripheral membrane protein. Endoplasmic reticulum

membrane; Peripheral membrane protein.

**Purification** The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

**Clonality** Polyclonal





Explore. Bioreagents.

1 mg/ml Concentration

**Observed band** 70kD

**Human Gene ID** 5742


**Human Swiss-Prot Number** P23219

PTGS1; COX1; Prostaglandin G/H synthase 1; Cyclooxygenase-1; COX-1; Prostaglandin H2 synthase 1; PGH synthase 1; PGHS-1; PHS 1; **Alternative Names** 


Prostaglandin-endoperoxide synthase 1

**Background** This is one of two genes encoding similar enzymes that catalyze the

conversion of arachinodate to prostaglandin. The encoded protein regulates angiogenesis in endothelial cells, and is inhibited by nonsteroidal anti-inflammatory drugs such as aspirin. Based on its ability to function as both a cyclooxygenase and as a peroxidase, the encoded protein has been identified as a moonlighting protein. The protein may promote cell proliferation during tumor progression. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jan 2014],



Western Blot analysis of various cells using Cox-1 Polyclonal Antibody




Immunohistochemistry analysis of paraffin-embedded human brain tissue, using Cox1 Antibody. The picture on the right is blocked with the synthesized peptide.





Explore. Bioreagents.



Western blot analysis of lysates from HUVEC cells, using Cox1 Antibody. The lane on the right is blocked with the synthesized peptide.