

www.biorbyt.com

DDX54 rabbit pAb

Cat#: orb765033 (Manual)


For research use only. Not intended for diagnostic use.

Product Name	DDX54 rabbit pAb
Host species	Rabbit
Applications	WB;ELISA
Species Cross-Reactivity	Human;Rat;Mouse;
Recommended dilutions	Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.
Immunogen	Synthesized peptide derived from DDX54. at AA range: 570-650
Specificity	DDX54 Polyclonal Antibody detects endogenous levels of DDX54 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide
Formulation Storage	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide Store at -20°C. Avoid repeated freeze-thaw cycles.
	azide
Storage	azide Store at -20°C. Avoid repeated freeze-thaw cycles.
Storage Protein Name	azide Store at -20°C. Avoid repeated freeze-thaw cycles. ATP-dependent RNA helicase DDX54
Storage Protein Name Gene Name	azide Store at -20°C. Avoid repeated freeze-thaw cycles. ATP-dependent RNA helicase DDX54 DDX54

www.biorbyt.com



Concentration	1 mg/ml
Observed band	
Human Gene ID	79039
Human Swiss-Prot Number	Q8TDD1
Alternative Names	DDX54; ATP-dependent RNA helicase DDX54; ATP-dependent RNA helicase DP97; DEAD box RNA helicase 97 kDa; DEAD box protein 54
Background	This gene encodes a member of the DEAD box protein family. DEAD box proteins, characterized by the conserved motif Asp-Glu-Ala-Asp (DEAD), are putative RNA helicases. They are implicated in a number of cellular processes involving alteration of RNA secondary structure such as translation initiation, nuclear and mitochondrial splicing, and ribosome and spliceosome assembly. Based on their distribution patterns, some members of this family are believed to be involved in embryogenesis, spermatogenesis, and cellular growth and division. The nucleolar protein encoded by this gene interacts in a hormone-dependent manner with nuclear receptors, and represses their transcriptional activity. Alternative splice variants that encode different isoforms have been found for this gene. [provided by RefSeq, Jul 2008],



Western Blot analysis of various cells using DDX54 Polyclonal Antibody cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003,Inventbiotech,MN,USA).