



GPR116 rabbit pAb

Cat#: orb765325 (Manual)

For research use only. Not intended for diagnostic use.

Product Name GPR116 rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;ELISA

Species Cross-Reactivity Human; Rat; Mouse;

Recommended dilutions Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300.

Immunofluorescence: 1/200 - 1/1000. ELISA: 1/5000. Not yet tested in other

applications.

Immunogen The antiserum was produced against synthesized peptide derived from

human GPR116. AA range:11-60

Specificity GPR116 Polyclonal Antibody detects endogenous levels of GPR116 protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Probable G-protein coupled receptor 116

Gene Name GPR116

Cellular localization Cell membrane; Multi-pass membrane protein.

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Clonality Polyclonal





Concentration 1 mg/ml

Observed band 150kD

Human Gene ID 221395


Human Swiss-Prot Number Q8IZF2

Alternative Names GPR116; KIAA0758; Probable G-protein coupled receptor 116

Background function: May have a role in the regulation of acid-base

balance.,PTM:Proteolytically cleaved into 2 highly conserved sites: one in the SEA domain and the other in the stalk domain region preceding the first transmembrane. The later 2 subunits, the extracellular subunit and the seven-transmembrane subunit, remain tightly associated and non-covalently linked sequence caution: Contaminating sequence. Potential poly-A

transmembrane subunit, remain tightly associated and non-covalently linked., sequence caution: Contaminating sequence. Potential poly-A sequence., similarity: Belongs to the G-protein coupled receptor 2 family. LN-TM7 subfamily., similarity: Contains 1 GPS domain., similarity: Contains 1 SEA domain., similarity: Contains 3 Ig-like (immunoglobulin-like) domains., subunit: Exists as disulfide-linked dimers at the cell surface.,




Western Blot analysis of various cells using GPR116 Polyclonal Antibody diluted at 1:500






7 8

Immunofluorescence analysis of HeLa cells, using GPR116 Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of lysates from A549 cells, using GPR116 Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from HeLa cells using GPR116 antibody.