



Olfactory receptor 2A25 rabbit pAb


Cat#: orb765900 (Manual)

For research use only. Not intended for diagnostic use.

Product Name	Olfactory receptor 2A25 rabbit pAb
Host species	Rabbit
Applications	WB;IF;ELISA
Species Cross-Reactivity	Human;Rat;Mouse;
Recommended dilutions	Western Blot: 1/500 - 1/2000. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/5000. Not yet tested in other applications.
Immunogen	The antiserum was produced against synthesized peptide derived from human OR2A25. AA range:241-290
Specificity	Olfactory receptor 2A25 Polyclonal Antibody detects endogenous levels of Olfactory receptor 2A25 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.
Protein Name	Olfactory receptor 2A25
Gene Name	OR2A25
Cellular localization	Cell membrane; Multi-pass membrane protein.
Purification	The antibody was affinity-purified from rabbit antiserum by affinity- chromatography using epitope-specific immunogen.
Clonality	Polyclonal




Concentration	1 mg/ml
Observed band	40kD
Human Gene ID	392138
Human Swiss-Prot Number	A4D2G3
Alternative Names	OR2A25; OR2A25P; OR2A27; Olfactory receptor 2A25; Olfactory receptor 2A27
Background	Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor organisms. [provided by RefSeq, Jul 2008],




Western Blot analysis of various cells using Olfactory receptor 2A25 Polyclonal Antibody



www.biorbyt.com



Immunofluorescence analysis of A549 cells, using OR2A25 Antibody. The picture on the right is blocked with the synthesized peptide.



26-

19-

Western blot analysis of lysates from HT-29 cells, using OR2A25 Antibody. The lane on the right is blocked with the synthesized peptide.

Western blot analysis of the lysates from HepG2 cells using OR2A25 antibody.