



Pax-5 rabbit pAb

Cat#: orb766028 (Manual)


For research use only. Not intended for diagnostic use.

Product Name	Pax-5 rabbit pAb
Host species	Rabbit
Applications	WB;ELISA
Species Cross-Reactivity	Human;Mouse
Recommended dilutions	Western Blot: 1/500 - 1/2000. ELISA: 1/40000. Not yet tested in other applications.
Immunogen	The antiserum was produced against synthesized peptide derived from human Pax-5. AA range:1-50
Specificity	Pax-5 Polyclonal Antibody detects endogenous levels of Pax-5 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium
	azide
Storage	azide Store at -20°C. Avoid repeated freeze-thaw cycles.
Storage Protein Name	
	Store at -20°C. Avoid repeated freeze-thaw cycles.
Protein Name	Store at -20°C. Avoid repeated freeze-thaw cycles. Paired box protein Pax-5
Protein Name Gene Name	Store at -20°C. Avoid repeated freeze-thaw cycles. Paired box protein Pax-5 PAX5




www.biorbyt.com

Concentration	1 mg/ml
Observed band	40kD
Human Gene ID	5079
Human Swiss-Prot Number	Q02548
Alternative Names	PAX5; Paired box protein Pax-5; B-cell-specific transcription factor; BSAP
Background	This gene encodes a member of the paired box (PAX) family of transcription factors. The central feature of this gene family is a novel, highly conserved DNA-binding motif, known as the paired box. Paired box transcription factors are important regulators in early development, and alterations in the expression of their genes are thought to contribute to neoplastic transformation. This gene encodes the B-cell lineage specific activator protein that is expressed at early, but not late stages of B-cell differentiation. Its expression has also been detected in developing CNS and testis and so the encoded protein may also play a role in neural development and spermatogenesis. This gene is located at 9p13, which is involved in t(9;14)(p13;q32) translocations recurring in small lymphocytic lymphomas of the plasmacytoid subtype, and in derived large-cell lymphomas. This translocation brings the potent E-mu enhancer



www.biorbyt.com





Western blot analysis of lysates from 293 cells, using Pax-5 Antibody. The lane on the right is blocked with the synthesized peptide.