



Ribosomal Protein L26L rabbit pAb

Cat#: orb766235 (Manual)

For research use only. Not intended for diagnostic use.

Product Name Ribosomal Protein L26L rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;ELISA

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA:

1/40000. Not yet tested in other applications.

Immunogen The antiserum was produced against synthesized peptide derived from

human RPL26L. AA range:96-145

Specificity Ribosomal Protein L26L Polyclonal Antibody detects endogenous levels of

Ribosomal Protein L26L protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name 60S ribosomal protein L26-like 1

Gene Name RPL26L1

Cellular localization cytosol, large ribosomal subunit, cytosolic large ribosomal

subunit, extracellular exosome,

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Clonality Polyclonal





1 mg/ml

Observed band

Concentration

20kD

Human Gene ID

51121

Human Swiss-Prot Number


Q9UNX3

Alternative Names


RPL26L1; RPL26P1; 60S ribosomal protein L26-like 1

Background

This gene encodes a protein that shares high sequence similarity with ribosomal protein L26. Alternative splicing results in multiple transcript variants encoding the same protein. [provided by RefSeq, Dec 2015],



Western Blot analysis of various cells using Ribosomal Protein L26L Polyclonal Antibody diluted at 1:2000




Immunohistochemical analysis of paraffin-embedded Human brain. Antibody was diluted at 1:100(4° overnight). High-pressure and temperature Tris-EDTA,pH8.0 was used for antigen retrieval. Negetive contrl (right) obtaned from antibody was pre-absorbed by i





Explore. Bioreagents.



Western blot analysis of lysates from HUVEC and MCF-7 cells, using RPL26L Antibody. The lane on the right is blocked with the synthesized peptide.