



SAP 14 rabbit pAb

Cat#: orb766281 (Manual)

For research use only. Not intended for diagnostic use.

Product Name SAP 14 rabbit pAb

Host species Rabbit

Applications WB;ELISA

Species Cross-Reactivity Human; Mouse

Recommended dilutions Western Blot: 1/500 - 1/2000. ELISA: 1/40000. Not yet tested in other

applications.

Immunogen The antiserum was produced against synthesized peptide derived from

human SF3B14. AA range:76-125

Specificity SAP 14 Polyclonal Antibody detects endogenous levels of SAP 14 protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Pre-mRNA branch site protein p14

Gene Name SF3B14

Cellular localization Nucleus.

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Clonality Polyclonal





Concentration 1 mg/ml

Observed band 14kD

Human Gene ID 51639


Human Swiss-Prot Number Q9Y3B4

Alternative Names SF3B14; CGI-110; HSPC175; HT006; Pre-mRNA branch site protein p14;


SF3b 14 kDa subunit

Background This gene encodes a 14 kDa protein subunit of the splicing factor 3b

complex. Splicing factor 3b associates with both the U2 and U11/U12 small nuclear ribonucleoprotein complexes (U2 snRNP) of spliceosomes. This 14 kDa protein interacts directly with subunit 1 of the splicing factor 3b complex. This 14 kDa protein also interacts directly with the adenosine that carries out the first transesterification step of splicing at the pre-mRNA branch site. [provided by RefSeq, Jul 2008],



Western Blot analysis of various cells using SAP 14 Polyclonal Antibody cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003, Inventbiotech, MN, USA).



Western blot analysis of lysates from HepG2 cells, using SF3B14 Antibody. The lane on the right is blocked with the synthesized peptide.



