



Synuclein-β rabbit pAb


Cat#: orb766416 (Manual)


For research use only. Not intended for diagnostic use.

Product Name	Synuclein-β rabbit pAb
Host species	Rabbit
Applications	WB;IHC;IF;ELISA
Species Cross-Reactivity	Human;Mouse;Rat
Recommended dilutions	Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/20000. Not yet tested in other applications.
Immunogen	The antiserum was produced against synthesized peptide derived from human Synuclein beta. AA range:85-134
Specificity	Synuclein- β Polyclonal Antibody detects endogenous levels of Synuclein- β protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide
Formulation Storage	
	azide
Storage	azide Store at -20°C. Avoid repeated freeze-thaw cycles.
Storage Protein Name	azide Store at -20°C. Avoid repeated freeze-thaw cycles. Beta-synuclein
Storage Protein Name Gene Name	azide Store at -20°C. Avoid repeated freeze-thaw cycles. Beta-synuclein SNCB



Concentration	1 mg/ml
Observed band	14kD
Human Gene ID	6620
Human Swiss-Prot Number	Q16143
Alternative Names	SNCB; Beta-synuclein
Background	This gene encodes a member of a small family of proteins that inhibit phospholipase D2 and may function in neuronal plasticity. The encoded protein is abundant in lesions of patients with Alzheimer disease. A mutation in this gene was found in individuals with dementia with Lewy bodies. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Dec 2015],







Immunofluorescence analysis of A549 cells, using Synuclein beta Antibody. The picture on the right is blocked with the synthesized peptide.



www.biorbyt.com



Immunohistochemistry analysis of paraffin-embedded human brain tissue, using Synuclein beta Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of lysates from HeLa cells, using Synuclein beta Antibody. The lane on the right is blocked with the synthesized peptide.