



## ET-1 rabbit pAb

## Cat#: orb766752 (Manual)


For research use only. Not intended for diagnostic use.

Product Name	ET-1 rabbit pAb
Host species	Rabbit
Applications	WB;IHC;IF;ELISA
Species Cross-Reactivity	Human;Rat;Mouse;
Recommended dilutions	IHC-p: 100-300.Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.
Immunogen	The antiserum was produced against synthesized peptide derived from the Internal region of human EDN1. AA range:131-180
Specificity	ET-1 Polyclonal Antibody detects endogenous levels of ET-1 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.
Protein Name	Endothelin-1
Gene Name	EDN1
Cellular localization	Secreted.
Purification	The antibody was affinity-purified from rabbit antiserum by affinity- chromatography using epitope-specific immunogen.
Clonality	Polyclonal



## www.biorbyt.com

Concentration	1 mg/ml
Observed band	25kD
Human Gene ID	1906
Human Swiss-Prot Number	P05305
Alternative Names	EDN1; Endothelin-1; Preproendothelin-1; PPET1
Background	This gene encodes a preproprotein that is proteolytically processed to generate a secreted peptide that belongs to the endothelin/sarafotoxin family. This peptide is a potent vasoconstrictor and its cognate receptors are therapeutic targets in the treatment of pulmonary arterial hypertension. Aberrant expression of this gene may promote tumorigenesis. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Oct 2015],



Western Blot analysis of mouse lung cells using ET-1 Polyclonal Antibody. Secondary antibody(catalog#:RS0002) was diluted at 1:20000

Western blot analysis of lysate from mouse lung, using EDN1 Antibody.







Immunohistochemical analysis of paraffin-embedded human tonsil. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 30min).