



IL-29 rabbit pAb

Cat#: orb766903 (Manual)

For research use only. Not intended for diagnostic use.

Product Name IL-29 rabbit pAb

Host species Rabbit

Applications WB;ELISA

Species Cross-Reactivity Human; Rat; Mouse;

Recommended dilutions Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other

applications.

Immunogen The antiserum was produced against synthesized peptide derived from the

Internal region of human IL29. AA range:121-170

Specificity IL-29 Polyclonal Antibody detects endogenous levels of IL-29 protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Interleukin-29

Gene Name IL29

Cellular localization Secreted.

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Clonality Polyclonal





1 mg/ml Concentration

Observed band 21kD


Human Gene ID 282618

Human Swiss-Prot Number Q8IU54


IL29; IFNL1; ZCYTO21; Interleukin-29; IL-29; Cytokine Zcyto21; Interferon lambda-1; IFN-lambda-1 **Alternative Names**

Background This gene encodes a cytokine distantly related to type I interferons and the

IL-10 family. This gene, interleukin 28A (IL28A), and interleukin 28B (IL28B) are three closely related cytokine genes that form a cytokine gene cluster on a chromosomal region mapped to 19q13. Expression of the cytokines encoded by the three genes can be induced by viral infection. All three cytokines have been shown to interact with a heterodimeric class II cytokine receptor that consists of interleukin 10 receptor, beta (IL10RB) and interleukin 28 receptor, alpha (IL28RA). [provided by RefSeq, Jul 2008],



Western Blot analysis of L929 cells using IL-29 Polyclonal Antibody. Secondary antibody(catalog#:RS0002) was diluted at 1:20000



Western blot analysis of lysate from L929 cells, using IL29 Antibody.



