



CRF-RI rabbit pAb

Cat#: orb767095 (Manual)

For research use only. Not intended for diagnostic use.

Product Name CRF-RI rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;ELISA

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300.

Immunofluorescence: 1/200 - 1/1000. ELISA: 1/5000. Not yet tested in other

applications.

Immunogen The antiserum was produced against synthesized peptide derived from the

Internal region of human CRHR1. AA range:71-120

Specificity CRF-RI Polyclonal Antibody detects endogenous levels of CRF-RI protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Corticotropin-releasing factor receptor 1

Gene Name CRHR1

Cellular localization Cell membrane; Multi-pass membrane protein. Endosome. Agonist-binding

promotes endocytosis.

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Clonality Polyclonal





Explore. Bioreagents.

1 mg/ml Concentration

Observed band 50kD

Human Gene ID 1394

Human Swiss-Prot Number P34998


CRHR1; CRFR; CRFR1; CRHR; Corticotropin-releasing factor receptor 1; CRF-R-1; CRF-R1; CRFR-1; Corticotropin-releasing hormone receptor 1; CRH-R-1; CRH-R1 **Alternative Names**

This gene encodes a G-protein coupled receptor that binds neuropeptides of the corticotropin releasing hormone family that are major regulators of the **Background**


hypothalamic-pituitary-adrenal pathway. The encoded protein is essential for the activation of signal transduction pathways that regulate diverse

physiological processes including stress, reproduction, immune response and obesity. Alternative splicing results in multiple transcript variants. Naturallyoccurring readthrough transcription between this gene and upstream GeneID:147081 results in transcripts that encode isoforms that share

similarity with the products of this gene. [provided by RefSeq, Aug 2016],



Western Blot analysis of PC12 cells using CRF-RI Polyclonal Antibody. Secondary antibody(catalog#:RS0002) was diluted at 1:20000




Immunohistochemical analysis of paraffin-embedded rat-brain, antibody was diluted at 1:100






Explore. Bioreagents.



Immunohistochemical analysis of paraffin-embedded rat-brain, antibody was



Immunohistochemical analysis of paraffin-embedded mouse-brain, antibody was diluted at 1:100