



CRMP-3 rabbit pAb

Cat#: orb767383 (Manual)

For research use only. Not intended for diagnostic use.

Product Name CRMP-3 rabbit pAb

Host species Rabbit

Applications WB;ELISA

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other

applications.

Immunogen The antiserum was produced against synthesized peptide derived from

human DPYSL4. AA range:91-140

Specificity CRMP-3 Polyclonal Antibody detects endogenous levels of CRMP-3

protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Dihydropyrimidinase-related protein 4

Gene Name DPYSL4

Cellular localization Cytoplasm .

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Clonality Polyclonal





Concentration 1 mg/ml

Observed band 62kD

Human Gene ID 10570

Human Swiss-Prot Number O14531


DPYSL4; CRMP3; ULIP4; Dihydropyrimidinase-related protein 4; DRP-4; Collapsin response mediator protein 3; CRMP-3; UNC33-like **Alternative Names**

phosphoprotein 4; ULIP-4

Background disease: Antibodies against post-translationally modified DPYSL4, also

called anti-CV2 autoantibodies, are present in sera from patients with paraneoplastic neurological diseases (PND). PND are disorders of the nervous system associated with various systemic cancers which are not a direct result of the tumor mass or metastasis, but attributed to remote effects of the cancer., function: Necessary for signaling by class 3 semaphorins and subsequent remodeling of the cytoskeleton. Plays a role in axon guidance, neuronal growth cone collapse and cell migration., PTM: Phosphorylated upon DNA damage, probably by ATM or ATR., similarity: Belongs to the DHOase family. Hydantoinase/dihydropyrimidinase subfamily., subunit: Homotetramer, and heterotetramer with CRMP1, DPVSL 2, DPVSL 3 or DPVSL 5. Interacts with PLEXA 1.

DPYSL2, DPYSL3 or DPYSL5. Interacts with PLEXA1.,




Western Blot analysis of LOVO cells using CRMP-3 Polyclonal Antibody






Explore. Bioreagents.



Western blot analysis of lysates from LOVO and HT-29 cells, using DPYSL4 Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from RAW264.7cells using DPYSL4 antibody.