



p23 (phospho Ser113) rabbit pAb

Cat#: orb767419 (Manual)

For research use only. Not intended for diagnostic use.

Product Name p23 (phospho Ser113) rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;ELISA

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA:

1/10000. Not yet tested in other applications.

Immunogen The antiserum was produced against synthesized peptide derived from

human TEBP around the phosphorylation site of Ser113. AA range:79-128

Specificity Phospho-p23 (S113) Polyclonal Antibody detects endogenous levels of p23

protein only when phosphorylated at S113.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Prostaglandin E synthase 3

Gene Name PTGES3

Cellular localization Cytoplasm .

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Clonality Polyclonal





Explore. Bioreagents.

1 mg/ml Concentration

Observed band 24kD

Human Gene ID 10728


Human Swiss-Prot Number Q15185

PTGES3; P23; TEBP; Prostaglandin E synthase 3; Cytosolic prostaglandin E2 synthase; cPGES; Hsp90 co-chaperone; Progesterone receptor complex **Alternative Names**


p23; Telomerase-binding protein p23

Background

This gene encodes an enzyme that converts prostaglandin endoperoxide H2 (PGH2) to prostaglandin E2 (PGE2). This protein functions as a cochaperone with heat shock protein 90 (HSP90), localizing to response elements in DNA and disrupting transcriptional activation complexes. Alternative splicing results in multiple transcript variants. There are multiple pseudogenes of this gene on several different chromosomes. [provided by RefSeq, Feb 2016],



Western Blot analysis of 3T3 cells using Phospho-p23 (S113) Polyclonal Antibody




Immunohistochemistry analysis of paraffin-embedded human colon carcinoma, using TEBP (Phospho-Ser113) Antibody. The picture on the right is blocked with the phospho peptide.





Explore. Bioreagents.



Western blot analysis of lysates from NIH/3T3 cells treated with EGF 200ng/ml 30', using TEBP (Phospho-Ser113) Antibody. The lane on the right is blocked with the phospho peptide.