



## Olfactory receptor 10G9 rabbit pAb

## Cat#: orb768091 (Manual)


For research use only. Not intended for diagnostic use.

Product Name	Olfactory receptor 10G9 rabbit pAb
Host species	Rabbit
Applications	IF;ELISA
Species Cross-Reactivity	Human;Rat;Mouse;
Recommended dilutions	Immunofluorescence: 1/200 - 1/1000. ELISA: 1/40000. Not yet tested in other applications.
Immunogen	The antiserum was produced against synthesized peptide derived from human OR10G9. AA range:231-280
Specificity	Olfactory receptor 10G9 Polyclonal Antibody detects endogenous levels of Olfactory receptor 10G9 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium
	azide
Storage	azide Store at -20°C. Avoid repeated freeze-thaw cycles.
Storage Protein Name	
	Store at -20°C. Avoid repeated freeze-thaw cycles.
Protein Name	Store at -20°C. Avoid repeated freeze-thaw cycles. Olfactory receptor 10G9
Protein Name Gene Name	Store at -20°C. Avoid repeated freeze-thaw cycles. Olfactory receptor 10G9 OR10G9



## www.biorbyt.com

Concentration	1 mg/ml
Observed band	
Human Gene ID	219870
Human Swiss-Prot Number	Q8NGN4
Alternative Names	OR10G9; OR10G10P; Olfactory receptor 10G9; Olfactory receptor 10G10
Background	Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008],



Immunofluorescence analysis of A549 cells, using OR10G9 Antibody. The picture on the right is blocked with the synthesized peptide.