



BACE rabbit pAb

Cat#: orb768248 (Manual)

For research use only. Not intended for diagnostic use.

Product Name BACE rabbit pAb

Host species Rabbit

Applications IHC;IF;ELISA

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000.

ELISA: 1/5000. Not yet tested in other applications.

Immunogen The antiserum was produced against synthesized peptide derived from

human BACE. AA range:452-501

Specificity BACE Polyclonal Antibody detects endogenous levels of BACE protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Beta-secretase 1

Gene Name BACE1

Cellular localization Cell membrane ; Single-pass type I membrane protein . Golgi apparatus, trans-Golgi network . Endoplasmic reticulum . Endosome . Cell surface .

Cytoplasmic vesicle membrane; Single-pass type I membrane protein.

Membrane raft . Lysosome . Late endosome .

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.





Clonality Polyclonal

Concentration 1 mg/ml

Observed band

23621 **Human Gene ID**


Human Swiss-Prot Number P56817

Alternative Names BACE1; BACE; KIAA1149; Beta-secretase 1; Aspartyl protease 2; ASP2;

Asp 2; Beta-site amyloid precursor protein cleaving enzyme 1; Beta-site APP cleaving enzyme 1; Memapsin-2; Membrane-associated aspartic protease 2

Background This gene encodes a member of


beta-secretase 1(BACE1) Homo sapiens This gene encodes a member of the peptidase A1 family of aspartic proteases. Alternative splicing results in multiple transcript variants, at least one of which encodes a preproprotein that is proteolytically processed to generate the mature protease. This transmembrane protease catalyzes the first step in the formation of amyloid beta peptide from amyloid precursor protein. Amyloid beta peptides are the main constituent of amyloid beta plaques, which accumulate in the brains of human Alzheimer's disease patients. [provided by RefSeq, Nov 2015],



Immunofluorescence analysis of HUVEC cells, using BACE Antibody. The picture on the right is blocked with the synthesized peptide.







Immunohistochemistry analysis of paraffin-embedded human brain tissue, using BACE Antibody. The picture on the right is blocked with the synthesized peptide.